

A4 Colour Printers & MFPs

SP C260SFNw
SP C261SFNw
SP C260DNw
SP C261DNw

✓ Printer ✓ Copier ✓ Facsimile ✓ Scanner



SP C260SFNw



COLOUR

SP C261SFNw



COLOUR

SP C260DNw



COLOUR

SP C261DNw




COLOUR

The new standard in colour.

Colour printers and MFPs need to be responsive, easy to use, reliable and ready when you are. The SP C260DNw, SP C261DNw, SP C260SFNw and SP C261SFNw are compact and affordable devices which tick all those boxes and more with an array of features that make it easy to print from mobile. The SP C261SFNw model also offers a Single Pass Document Feeder for seamless double-sided scanning. Enjoy high productivity along with tangible time and cost-saving benefits, seamless operation and durability you can rely on.

- Compact design and full front operation saves space
- Stunning 2,400 X 600 dpi quality 20ppm colour output
- Supports WiFi Direct, Mopria, Google Cloud Print, AirPrint and NFC so you can print from or scan to any mobile device
- Enhance usability with intuitive, easy-to-use 4.3 inch colour touch panel – SP C260SFNw & SP C261SFNw only
- Single Pass Document Feeder for instant double-sided scanning to save you time – SP C261SFNw only



Get to know your new favourite device.

Always ready. Even when you're on the move.

In modern businesses everything is on-demand and mobile. Thanks to a huge range of connectivity including Mopria, Google Cloud Print, AirPrint, WiFi and NFC, you can securely link via your smart device or tablet. You can also scan directly from these efficient MFPs to mobiles.



It's easy to change the way you do business

Transform your workflow with the intuitive 4.3 inch colour touch panel on the SP C260SFNw and SP C261SFNw models. You can coordinate print, scan and copy functions at the touch of a button, freeing up time for more important tasks.



Simplicity at its heart.

The Single Pass Document Feeder in the stand-out SP C261SFNw model enables the scanning of both sides of documents in a single pass, and accelerates copying and faxing. Easy operation helps increase productivity, avoid errors and reduce the risk of damage to originals. Plus you use less paper.



Reliability that proves its worth.

Meet your business needs across all types of printing in almost any environment with these dependable, feature-rich devices. Confidently create vibrant colour output day after day, knowing that each device easily handles peaks. Enjoy big performance, high quality and great affordability.



SP C260SFNw/ SP C261SFNw/ SP C260DNw/ SP C261DNw

MAIN SPECIFICATIONS

GENERAL

Warm-up time:	30 seconds
First output speed:	Full colour: 14 seconds B/W: 14 seconds
Continuous output speed:	Full colour: 20 pages per minute B/W: 20 pages per minute
CPU:	Intel Celeron-M: 400/400/350/350 MHz
Memory:	Standard: 256/256/128/256 MB Maximum: 256/256/128/256 MB
Duty cycle:	30,000 prints per month
Duplex:	Yes
Dimensions (W x D x H):	SP C260SFNw: 420 x 493 x 460 mm (SP C260SFNw) SP C261SFNw: 420 x 493 x 473 mm (SP C261SFNw) SP C260DNw: 400 x 450 x 320 mm (SP C260DNw) SP C261DNw: 400 x 450 x 320 mm (SP C261DNw)
Weight:	29/30/23.8/23.8 kg
Power source:	220 - 240 V, 50/60 Hz

COPIER (SP C260SFNw, SP C261SFNw)

Document feeder:	ADF (SP C260SFNw): 35 sheets Single Pass DF (SP C261SFNw): 50 sheets
Multiple copying:	Up to 99 copies
Zoom:	From 25% to 400% in 1% steps

PRINTER

Printer language:	PCL5c (SP C261SFNw, SP C261DNw) PCL6 (SP C261SFNw, SP C261DNw) PDF (SP C261SFNw, SP C261DNw) DDST (GDI) (SP C260SFNw, SP C260DNw) PostScript 3 (emulation) (SP C261SFNw, SP C261DNw)
Print resolution:	Maximum: 2,400 x 600 dpi
Interface:	Standard: USB 2.0, Ethernet 10 base-T/100 base-TX, Wireless LAN (IEEE 802.11b/g/n)
Windows® environments:	Windows® 7, Windows® 10, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012, Windows® Server 2012R2
Mac OS environments:	Macintosh OS X v10.9 or later
UNIX environments:	UNIX Sun® Solaris: 2.9, 2.10 HP-UX: 11.x, 11i v2, 11i v3 SCO OpenServer: 5.0.7, 6.0 RedHat® Linux Enterprise: 4, 5, 6 IBM® AIX: 5L v5.3, 5L v6.1, 5L v7.1

SCANNER (SP C260SFNw, SP C261SFNw)

SPDF (SP C261SFNw):	Yes
Scanning speed:	300 dpi: Maximum 12 ipm Maximum 20 ipm (SP C260SFNw, SP C261SFNw)
Bundled drivers:	Network TWAIN, Scanner utility
Scan to:	E-mail, Folder, USB

FAX (SP C260SFNw, SP C261SFNw)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3
Internet Fax:	Yes (SP C261SFNw)
LAN Fax:	Yes

PAPER HANDLING

Recommended paper size:	Standard paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A4, A5, A6, B5, B6
Paper input capacity:	Standard: 251 sheets Maximum: 751 sheets
Paper output capacity:	Standard: 150 sheets
Paper weight:	Paper tray(s): 60 - 160 g/m² Bypass tray: 60 - 160 g/m² - g/m²

ECOLOGY

Power consumption:	Maximum: 1.3 kW Ready mode: 60.7/60.7/58.3/58.3 W Sleep mode: Less than 1.3/1.3/1.2/1.2 W TEC (Typical Electricity Consumption): 1.303/1.303/1.233/1.233 kWh
--------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------

OPTIONS

1 x 500-sheet paper tray (option)

CONSUMABLES

All-in-one cartridge capacity (regular yield):	Black: 2,000 prints Cyan: 1,600 prints Magenta: 1,600 prints Yellow: 1,600 prints
Starter kit:	Black: 1,000 prints Cyan: 1,000 prints Magenta: 1,000 prints Yellow: 1,000 prints

Consumable yield measuring method ISO/IEC 19798

SP C260/261SFNw: Copy speed Germany: 14 cpm; Belgium, Austria: 9cpm.

For availability of models, options and software, please consult your local supplier.



RICOH
imagine. change.

www.ricoh-europe.com

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.